1560 X

(1) GENERAL INFORMATION:

- (i) APPLICANTS: Boon, Thierry, Van den Eynde, Benoît
- (ii) TITLE OF INVENTION: Tumor Rejection Antigen Precursors, Tumor Rejection Antigens and Uses Thereof
- (iii) NUMBER OF SEQUENCES: 16
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Felfe & Lynch
 - (B) STREET: 805 Third Avenue
 - (C) CITY: New York City
 - (D) STATE: New York
 - (F) ZIP: 10022
- (V) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage
 - (B) COMPUTER: IBM
 - (C) OPERATING SYSTEM: PC-DOS
 - (D) SOFTWARE: Wordperfect
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: 07/807,043
 - (B) FILING DATE: 12-DECEMBER-1991
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 07/764,364
 - (B) FILING DATE: 23-SEPTEMBER-1991
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 07/728,838
 - (B) FILING DATE: 9-JULY-1991
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 07/705,702
 - (B) FILING DATE: 23-May-1991
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Hanson, Norman D.
 - (B) REGISTRATION NUMBER: 30,946
 - (C) REFERENCE/DOCKET NUMBER: LUD 253.3
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (212) 688-9200
 - (B) TELEFAX: (212) 838-3884

- (2) INFORMATION FOR SEQUENCE ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 462 base pairs (B) TYPE: nucleic acid

 - (C) STRANDEDNESS: singular
 - (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

ACCACAGGAG	AATGAAAAGA	ACCCGGGACT	CCCAAAGACG	CTAGATGTGT	GAAGATCCTG	60
ATCACTCATT	GGGTGTCTGA	GTTCTGCGAT	ATTCATCCCT	CAGCCAATGA	GCTTACTGTT	120
CTCGTGGGGG	GTTTGTGAGC	CTTGGGTAGG	AAGTTTTGCA	AGTTCCGCCT	ACAGCTCTAG	180
CTTGTGAATT	TGTACCCTTT	CACGTAAAAA	AGTAGTCCAG	AGTTTACTAC	ACCCTCCCTC	240
CCCCCTCCCA	CCTCGTGCTG	TGCTGAGTTT	AGAAGTCTTC	CTTATAGAAG	TCTTCCGTAT	300
AGAACTCTTC	CGGAGGAAGG	AGGGAGGACC	CCCCCCTTT	GCTCTCCCAG	CATGCATTGT	360
GTCAACGCCA	TTGCACTGAG	CTGGTCGAAG	AAGTAAGCCG	CTAGCTTGCG	ACTCTACTCT	420
TATCTTAACT	TAGCTCGGCT	TCCTGCTGGT	ACCCTTTGTG	CC		462

		() () (I L) M(A) LI B) TY C) ST O) TO DLECT EQUE	YPE: TRANI DPOLO JLE :	nuc DEDNI DGY: TYPE:	li:	c ac: sin near enom:	id ngula ic D1	ar	NO:	2:					
	TCT Ser														GGT Gly	48
	GGT Gly															96
	ATT Ile															144
AGT Ser	TTT Phe 50	CTG Leu	GCG Ala	CTC Leu	CAG Gln	ATG Met 55	TTC Phe	ATA Ile	GAC Asp	GCC Ala	CTT Leu 60	TAT Tyr	GAG Glu	GAG Glu	CAG Gln	192
TAT Tyr 65	GAA Glu	AGG Arg	GAT Asp	GTG Val	GCC Ala 70	TGG Trp	ATA Ile	GCC Ala	AGG Arg	CAA Gln 75	AGC Ser	AAG Lys	CGC Arg	ATG Met	TCC Ser 80	240
TCT Ser	GTC Val	GAT Asp	GAG Glu	GAT Asp 85	GAA Glu	GAC Asp	GAT Asp	GAG Glu	GAT Asp 90	GAT Asp	GAG Glu	GAT Asp	GAC Asp	TAC Tyr 95	TAC Tyr	288
	GAC Asp															336
GAG Glu	GAA Glu	GAA Glu 115	GAA Glu	TTG Leu	GAG Glu	AAC Asn	CTG Leu 120	ATG Met	GAT Asp	GAT Asp	GAA Glu	TCA Ser 125	GAA Glu	GAT Asp	GAG Glu	384
GCC Ala	GAA Glu 130	GAA Glu	GAG Glu	ATG Met	AGC Ser	GTG Val 135	GAA Glu	ATG Met	GGT Gly	GCC Ala	GGA Gly 140	GCT Ala	GAG Glu	GAA Glu	ATG Met	432
GGT Gly 145	GCT Ala	GGC Gly	GCT Ala	AAC Asn	TGT Cys 150	GCC Ala	TGT Cys	GTT Val	CCT Pro	GGC Gly 155	CAT His	CAT His	TTA Leu	AGG Arg	AAG Lys 160	480
AAT Asn	GAA Glu	GTG Val	AAG Lys	TGT Cys 165	AGG Arg	ATG Met	ATT Ile	TAT Tyr	TTC Phe 170	TTC Phe	CAC His	GAC Asp	CCT Pro	AAT Asn 175	TTC Phe	528

(2)

INFORMATION FOR SEQUENCE ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

	TCT Ser							576
	GCT Ala 195							624
	GAG Glu							672
TAG								675

. . .

(2)	INFORMATION FOR SEQUENCE ID NO: 3:
	(i) SEQUENCE CHARACTERISTICS:
	(A) LENGTH: 228 base pairs
	(B) TYPE: nucleic acid
	(C) STRANDEDNESS: singular
	(D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: genomic DNA

(11) MOLECULE TYPE: genomic DNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

GCATGCAGTT	GCAAAGCCCA	GAAGAAAGAA	ATGGACAGCG	GAAGAAGTGG	TTGTTTTTT	60
TTCCCCTTCA	TTAATTTTCT	AGTTTTTAGT	AATCCAGAAA	ATTTGATTTT	GTTCTAAAGT	120
TCATTATGCA	AAGATGTCAC	CAACAGACTT	CTGACTGCAT	GGTGAACTTT	CATATGATAC	180
ATAGGATTAC	ACTTGTACCT	GTTAAAAATA	AAAGTTTGAC	TTGCATAC		228

- INFORMATION FOR SEQUENCE ID NO: 4: (2)
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1365 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: singular
 - (D) TOPOLOGY: linear (ii) MOLECULE TYPE: genomic DNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

ACCACAGGAG AATGAAAAGA ACCCGGGACT CCCAAAG	ACG CTAGATGTGT 50
GAAGATCCTG ATCACTCATT GGGTGTCTGA GTTCTGC	GAT ATTCATCCCT 100
CAGCCAATGA GCTTACTGTT CTCGTGGGGG GTTTGTG	AGC CTTGGGTAGG 150
AAGTTTTGCA AGTTCCGCCT ACAGCTCTAG CTTGTGA	ATT TGTACCCTTT 200
CACGTAAAAA AGTAGTCCAG AGTTTACTAC ACCCTCC	CTC CCCCTCCCA 250
CCTCGTGCTG TGCTGAGTTT AGAAGTCTTC CTTATAG	AAG TCTTCCGTAT 300
AGAACTCTTC CGGAGGAAGG AGGGAGGACC CCCCCCC	TTT GCTCTCCCAG 350
CATGCATTGT GTCAACGCCA TTGCACTGAG CTGGTCG	AAG AAGTAAGCCG 400
CTAGCTTGCG ACTCTACTCT TATCTTAACT TAGCTCG	GCT TCCTGCTGGT 450
ACCCTTTGTG CC	462
ATG TCT GAT AAC AAG AAA CCA GAC AAA GCC	CAC AGT GGC TCA 504
GGT GGT GAC GGT GAT GGG AAT AGG TGC AAT	TTA TTG CAC CGG 546
TAC TCC CTG GAA GAA ATT CTG CCT TAT CTA	GGG TGG CTG GTC 588
TTC GCT GTT GTC ACA ACA AGT TTT CTG GCG	CTC CAG ATG TTC 630
ATA GAC GCC CTT TAT GAG GAG CAG TAT GAA	AGG GAT GTG GCC 672
TGG ATA GCC AGG CAA AGC AAG CGC ATG TCC	TCT GTC GAT GAG 714
GAT GAA GAC GAT GAG GAT GAG GAT GAC	TAC TAC GAC GAC 756
GAG GAC GAC GAC GAT GCC TTC TAT GAT	GAT GAG GAT GAT 798
GAG GAA GAA TTG GAG AAC CTG ATG GAT	GAT GAA TCA GAA 840
GAT GAG GCC GAA GAA GAG ATG AGC GTG GAA	ATG GGT GCC GGA 882
GCT GAG GAA ATG GGT GCT GGC GCT AAC TGT	GCC TGT GTT CCT 924
GGC CAT CAT TTA AGG AAG AAT GAA GTG AAG	TGT AGG ATG ATT 966
TAT TTC TTC CAC GAC CCT AAT TTC CTG GTG	TCT ATA CCA GTG 1008
AAC CCT AAG GAA CAA ATG GAG TGT AGG TGT	GAA AAT GCT GAT 1050
GAA GAG GTT GCA ATG GAA GAG GAA GAA	GAA GAG GAG 1092
GAG GAG GAA GAG GAA ATG GGA AAC CCG GAT	GGC TTC TCA CCT 1134
TAG	1137
GCATGCAGTT GCAAAGCCCA GAAGAAAGAA ATGGACA	GCG GAAGAAGTGG 1187
TTGTTTTTT TTCCCCTTCA TTAATTTTCT AGTTTTT.	AGT AATCCAGAAA 1237
ATTTGATTTT GTTCTAAAGT TCATTATGCA AAGATGT	CAC CAACAGACTT 1287
CTGACTGCAT GGTGAACTTT CATATGATAC ATAGGAT	
GTTAAAAATA AAAGTTTGAC TTGCATAC	1365

- (2) INFORMATION FOR SEQUENCE ID NO: 5:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 4698 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: singular
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

ACCACAGGAG AATGAAAAGA AG	CCCGGGACT CCCAAAGACG	CTAGATGTGT	50
GAAGATCCTG ATCACTCATT GO	GGTGTCTGA GTTCTGCGAT	ATTCATCCCT	100
CAGCCAATGA GCTTACTGTT CT	TCGTGGGGG GTTTGTGAGC	CTTGGGTAGG	150
AAGTTTTGCA AGTTCCGCCT AG	CAGCTCTAG CTTGTGAATT	TGTACCCTTT	200
CACGTAAAAA AGTAGTCCAG AG	GTTTACTAC ACCCTCCCTC	CCCCTCCCA	250
CCTCGTGCTG TGCTGAGTTT AC			300
AGAACTCTTC CGGAGGAAGG AG			350
CATGCATTGT GTCAACGCCA T			400
CTAGCTTGCG ACTCTACTCT TA	ATCTTAACT TAGCTCGGCT	TCCTGCTGGT	450
ACCCTTTGTG CC			462
ATG TCT GAT AAC AAG AAA			504
GGT GGT GAC GGT GAT GGG			546
TAC TCC CTG GAA GAA ATT			588
TTC GCT GTT GTC ACA ACA			630
ATA GAC GCC CTT TAT GAG			672
TGG ATA GCC AGG CAA AGC			714
GAT GAA GAC GAT GAG GAT			756
GAG GAC GAC GAC GAT	GCC TTC TAT GAT GAT	GAG GAT GAT	798
GAG GAA GAA TTG GAG			840
GAT GAG GCC GAA GAA GAG			882
GCT GAG GAA ATG GGT GCT			916
GTGAGTAACC CGTGGTCTTT AC			966
CTCTTGCCCA CATCTGTAGT A			1016
TGGAGCCATT CCTGGCTCTC CT	TGTCCACGC CTATCCCCGC	TCCTCCCATC	1066
CCCCACTCCT TGCTCCGCTC TG			1116
TTCAGTCCAT CCTGCTCTGC TO			1166
TCCCCCTCGG CTCAACTTTT CC			1216
TTCAGGCTTC CCCATTTGCT CC	CTCTCCCGA AACCCTCCCC	TTCCTGTTCC	1266
CCTTTTCGCG CCTTTTCTTT CC			1316
TCACCAGCTT TGCTCTCCCT GO			1366
TCCTGCTCCC CTCCCCCTCC CC			1416
CTACCTGCTT CCCTCCCCT TO	GCTGCTCCC TCCCTATTTG	CATTTTCGGG	1466
TGCTCCTCCC TCCCCCTCCC CC			1516
CCTCCCTCCC CCTCCCCAGG CC			1566
TTGGTTTTTC GAGACAGGGT TT	ICTCTTTGT ATCCCTGGCT	GTCCTGGCAC	1616
TCACTCTGTA GACCAGGCTG GO			1666
CCTCCCAAAT GCTGGGATTA AA			1716
GCCTTTCTTT TTTCTCCTCT CT			1766
AACTCCCCTT TTGGCACCTT TC			1816
TTCCCTTCCG GCACCCTTCC TA	AGCCCTGCT CTGTTCCCTC	TCCCTGCTCC	1866
CCTCCCCTC TTTGCTCGAC TT			1916
GCCCCGTTCC CCTTTTTTGT GC	CCTTTCCTC CTGGCTCCCC	TCCACCTTCC	1966

AGCTCACCTT TTTGTTTGTT TGGTTGTTTG GTTGTTTG	GT TTGCTTTTTT 2016
TTTTTTTTT GCACCTTGTT TTCCAAGATC CCCCTCCC	CC TCCGGCTTCC 2066
CCTCTGTGTG CCTTTCCTGT TCCCTCCCC TCGCTGGC	TC CCCCTCCCTT 2116
TCTGCCTTTC CTGTCCCTGC TCCCTTCTCT GCTAACCT	TT TAATGCCTTT 2166
CTTTTCTAGA CTCCCCCCTC CAGGCTTGCT GTTTGCTT	
CCTGACCCTG CTCCCCTTCC CCTCCCAGCT CCCCCCTC	
CCTTTCTCCA GCCTGTCACC CCTCCTTCTC TCCTCTCT	
TCCTGCTTCC TTTACCCCTT CCCTCTCCCT ACTCTCCT	
CTCTCTGTCC ATCACTTCCC CCTAGTTTCA CTTCCCTT	
ATGTGTCTCT CTTCCTATCT ATCCCTTCCT TTCTGTCC	
CCATCACCTC TCTCCTCCCT TCCCTTTCCT CTCTCTTC	
CCTGCTTCTT TACCCTGCCT CTCCCATTGC CCTCTTAC	CT TTATGCCCAT 2616
TCCATGTCCC CTCTCAATTC CCTGTCCCAT TGTGCTCC	CT CACATCTTCC 2666
ATTTCCCTCT TTCTCCCTTA GCCTCTTCTT CCTCTTCT	CT TGTATCTCCC 2716
TTCCCTTTGC TTCTCCCTCC TCCTTTCCCC TTCCCCTA	TG CCCTCTACTC 2766
TACTTGATCT TCTCTCCTCT CCACATACCC TTTTTCCT	TT CCACCCTGCC 2816
CTTTGTCCCC AGACCCTACA GTATCCTGTG CACAGGAA	
	AA ATCAGCAGGA 2916
AAGGCTGGAT GAAAATAAGG CCAGGTTCTG AGGACAGC	
AAGTGGCTCC TATAACCCTA AGTACCAAGG GAGAAAGT	
CTTGATCCTT GCTGCTTCTT TTACATATGT TGGCACAT	
CAGGCCATGC TCCATGCTTG GCGCTTGCTC AGCGTGGT	
	CA AATTAGCACG 3166
TAGTGATATT TCCCCCTAAA AATTATAACA AACAGATT	
	SAA GTTCTTTTTA 3266
	TA CTGCTTTCTT 3316
TTGCTAAAAT ATTCTTTCTC ACATATTCAT ATTCTCCA	
GT GTT CCT GGC CAT CAT TTA AGG AAG AAT G	
AGG ATG ATT TAT TTC TTC CAC GAC CCT AAT T	TC CTG GTG TCT 3438
ATA CCA GTG AAC CCT AAG GAA CAA ATG GAG T	GT AGG TGT GAA 3480
AAT GCT GAT GAA GAG GTT GCA ATG GAA GAG G	AA GAA GAA 3522
GAG GAG GAG GAG GAA GAG GAA ATG GGA A	
TTC TCA CCT TAG	3576
GCATGCAGGT ACTGGCTTCA CTAACCAACC ATTCCTAA	
GCTAAGAGCA TCTTTTTAAA AAATATTATT GGTAAACT	
TCTTTTTACA TTAATAAGTA TTAAATTAAT CCAGTATA	
CCCTAAGTTA AACAGAAGTC AATGATGTCT AGATGCCT	
GTAGTGAGAC TACTTACTAC AGATGAGAAG TTGTTAGA	
GACCAGTAAA AGATCATGCA GTGAAATGTG GCCATGGA	
TTCTTATAGT ACCTTTGAGA CAGCTGATAA CAGCTGAC	
TTCAAGAAAG ATCACACGCC ATGGTTCACA TGCAAATT	
	AG ATGAAAATCT 4026
CTTAAAATTT CCTTCATCTT TAATTTTCCT TAACTTTA	
TAGAATTCAA TTCAAATTCT TAATTCAATC TTAATTTT	
AATGTTTTTT AAAAAAAATG CAAATCTCAT TTTTAAGA	
GTAACTGGGG GGCTTAGGGA ATCTGTAGGG TTGCGGTA	
GTTCTGGTCT CTGAGAAGCA GTCAGAGAGA ATGGAAAA	
CAGTAGGTTA GTGAGGTTGA TATGATCAGA TTATGGAC	AC TCTCCAAATC 4326
ATAAATACTC TAACAGCTAA GGATCTCTGA GGGAAACA	
ATTTTAGTTT CTCCTTGAGA AACAATGACA AGACATAA	
AGTCAGGAGT GTATTCTAAT AAGTGTTGCT TATCTCTT	
AGTTGCAAAG CCCAGAAGAA AGAAATGGAC AGCGGAAG	
TTTTTTCCCC TTCATTAATT TTCTAGTTTT TAGTAATC	
Indirection in the control of t	OR URRARITION 40/0

	•				
TTTTGTTCTA	AAGTTCATTA	TGCAAAGATG	TCACCAACAG	ACTTCTGACT	4626
GCATGGTGAA	CTTTCATATG	ATACATAGGA	TTACACTTGT	ACCTGTTAAA	4676
AATAAAAGTT	TGACTTGCAT	AC			4698

- (2) INFORMATION FOR SEQUENCE ID NO: 6:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: singular (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Leu Pro Tyr Leu Gly Trp Leu

- (2) INFORMATION FOR SEQUENCE ID NO: 7:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2419 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: singular (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

	CCTGCCAGGA			GAGAACAGAG	50
	ACTGCATGAG		TCACAGAGTC	CAGCCCACCC	100
TCCTGGTAGC	ACTGAGAAGC		CTTGCGGTCT	GCACCCTGAG	150
GGCCCGTGGA	TTCCTCTTCC	TGGAGCTCCA	GGAACCAGGC	AGTGAGGCCT	200
TGGTCTGAGA	CAGTATCCTC	AGGTCACAGA	GCAGAGGATG	CACAGGGTGT	250
GCCAGCAGTG	AATGTTTGCC	CTGAATGCAC	ACCAAGGGCC	CCACCTGCCA	300
CAGGACACAT	AGGACTCCAC	AGAGTCTGGC	CTCACCTCCC	TACTGTCAGT	350
CCTGTAGAAT	CGACCTCTGC	TGGCCGGCTG	TACCCTGAGT	ACCCTCTCAC	400
TTCCTCCTTC		GGGACAGGCC		ACAGGATTCC	450
CTGGAGGCCA	CAGAGGAGCA	CCAAGGAGAA	GATCTGTAAG	TAGGCCTTTG	500
TTAGAGTCTC	CAAGGTTCAG	TTCTCAGCTG	AGGCCTCTCA	CACACTCCCT	550
CTCTCCCCAG	GCCTGTGGGT	CTTCATTGCC	CAGCTCCTGC	CCACACTCCT	600
GCCTGCTGCC	CTGACGAGAG	TCATCATGTC	TCTTGAGCAG	AGGAGTCTGC	650
ACTGCAAGCC	TGAGGAAGCC	CTTGAGGCCC	AACAAGAGGC	CCTGGGCCTG	700
GTGTGTGTGC	AGGCTGCCAC	CTCCTCCTCC	TCTCCTCTGG	TCCTGGGCAC	750
CCTGGAGGAG	GTGCCCACTG	CTGGGTCAAC	AGATCCTCCC	CAGAGTCCTC	800
AGGGAGCCTC	CGCCTTTCCC	ACTACCATCA	ACTTCACTCG	ACAGAGGCAA	850
CCCAGTGAGG	GTTCCAGCAG	CCGTGAAGAG	GAGGGGCCAA	GCACCTCTTG	900
TATCCTGGAG	TCCTTGTTCC	GAGCAGTAAT	CACTAAGAAG	GTGGCTGATT	950
TGGTTGGTTT	TCTGCTCCTC	AAATATCGAG	CCAGGGAGCC	AGTCACAAAG	1000
GCAGAAATGC	TGGAGAGTGT	CATCAAAAAT	TACAAGCACT	GTTTTCCTGA	1050
GATCTTCGGC	AAAGCCTCTG	AGTCCTTGCA	GCTGGTCTTT	GGCATTGACG	1100
TGAAGGAAGC	AGACCCCACC	GGCCACTCCT	ATGTCCTTGT	CACCTGCCTA	1150
GGTCTCTCCT	ATGATGGCCT	GCTGGGTGAT	AATCAGATCA	TGCCCAAGAC	1200
AGGCTTCCTG	ATAATTGTCC	TGGTCATGAT	TGCAATGGAG	GGCGGCCATG	1250
CTCCTGAGGA	GGAAATCTGG	GAGGAGCTGA	GTGTGATGGA	GGTGTATGAT	1300
GGGAGGGAGC	ACAGTGCCTA	TGGGGAGCCC	AGGAAGCTGC	TCACCCAAGA	1350
TTTGGTGCAG	GAAAAGTACC	TGGAGTACGG	CAGGTGCCGG	ACAGTGATCC	1400
CGCACGCTAT	GAGTTCCTGT	GGGGTCCAAG	GGCCCTCGCT	GAAACCAGCT	1450
ATGTGAAAGT	CCTTGAGTAT	GTGATCAAGG	TCAGTGCAAG	AGTTCGCTTT	1500
TTCTTCCCAT	CCCTGCGTGA	AGCAGCTTTG	AGAGAGGAGG	AAGAGGGAGT	1550
CTGAGCATGA	GTTGCAGCCA	AGGCCAGTGG	GAGGGGGACT	GGGCCAGTGC	1600
ACCTTCCAGG	GCCGCGTCCA	GCAGCTTCCC	CTGCCTCGTG	TGACATGAGG	1650
CCCATTCTTC	ACTCTGAAGA	GAGCGGTCAG	TGTTCTCAGT	AGTAGGTTTC	1700
TGTTCTATTG	GGTGACTTGG	AGATTTATCT	TTGTTCTCTT	TTGGAATTGT	1750
TCAAATGTTT	TTTTTTAAGG	GATGGTTGAA	TGAACTTCAG	CATCCAAGTT	1800
TATGAATGAC	AGCAGTCACA	CAGTTCTGTG	TATATAGTTT	AAGGGTAAGA	1850
GTCTTGTGTT	TTATTCAGAT	TGGGAAATCC	ATTCTATTTT	GTGAATTGGG	1900
ATAATAACAG	CAGTGGAATA	AGTACTTAGA	AATGTGAAAA	ATGAGCAGTA	1950
AAATAGATGA	GATAAAGAAC	TAAAGAAATT	AAGAGATAGT	CAATTCTTGC	2000
CTTATACCTC	AGTCTATTCT	GTAAAATTTT	TAAAGATATA	TGCATACCTG	2050

GATTTCCTTG	GCTTCTTTGA	GAATGTAAGA	GAAATTAAAT	CTGAATAAAG	2100
AATTCTTCCT	GTTCACTGGC	TCTTTTCTTC	TCCATGCACT	GAGCATCTGC	2150
TTTTTGGAAG	GCCCTGGGTT	AGTAGTGGAG	ATGCTAAGGT	AAGCCAGACT	2200
CATACCCACC	CATAGGGTCG	TAGAGTCTAG	GAGCTGCAGT	CACGTAATCG	2250
AGGTGGCAAG	ATGTCCTCTA	AAGATGTAGG	GAAAAGTGAG	AGAGGGGTGA	2300
GGGTGTGGGG	CTCCGGGTGA	GAGTGGTGGA	GTGTCAATGC	CCTGAGCTGG	2350
GGCATTTTGG	GCTTTGGGAA	ACTGCAGTTC	CTTCTGGGGG	AGCTGATTGT	2400
AATGATCTTG	GGTGGATCC				2419

•

.

- (2) INFORMATION FOR SEQUENCE ID NO: 8:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 5688 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: singular (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (ix) FEATURE:
 - (A) NAME/KEY: MAGE-1 gene
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

CCCGGGGCAC	CACTGGCATC	CCTCCCCTA	CCACCCCAA	TCCCTCCCTT	50
TACGCCACCC	ATCCAAACAT	CTTCACGCTC	ACCCCCAGCC	CAAGCCAGGC	100
AGAATCCGGT	TCCACCCCTG	CTCTCAACCC	AGGGAAGCCC	AGGTGCCCAG	150
ATGTGACGCC	ACTGACTTGA	GCATTAGTGG	TTAGAGAGAA	GCGAGGTTTT	200
	GGCGGCTTGA				250
TAAGGAGGCA	AGGTGACATG	CTGAGGGAGG	ACTGAGGACC	CACTTACCCC	300
AGATAGAGGA	CCCCAAATAA	TCCCTTCATG	CCAGTCCTGG	ACCATCTGGT	350
GGTGGACTTC	TCAGGCTGGG	CCACCCCAG	CCCCTTGCT	GCTTAAACCA	400
CTGGGGACTC	GAAGTCAGAG	CTCCGTGTGA	TCAGGGAAGG	GCTGCTTAGG	450
	GTCCAGGCTC				500
AGGGCTGAGG	GTCCCTAAGA	CCCCACTCCC	GTGACCCAAC	CCCCACTCCA	550
				CCAACCCCCA	600
	CCCACCCCAT				650
	CACCCCACC				700
	CCGGTTCCCG				750
	TGCGCATTGT				800
	TAGAGTTCGG				850
AGGCAAGGTG	AGAGGCTGAG	GGAGGACTGA	GGACCCCGCC	ACTCCAAATA	900
GAGAGCCCCA	AATATTCCAG	CCCCGCCCTT	GCTGCCAGCC	CTGGCCCACC	950
CGCGGGAAGA	CGTCTCAGCC	TGGGCTGCCC	CCAGACCCCT	GCTCCAAAAG	1000
CCTTGAGAGA	CACCAGGTTC	TTCTCCCCAA	GCTCTGGAAT	CAGAGGTTGC	1050
TGTGACCAGG	GCAGGACTGG	TTAGGAGAGG	GCAGGGCACA	GGCTCTGCCA	1100
	TCAGCACCCA				1150
	CCACTCCCAC				1200
	CAGCTACACC				1250
	ACCCTCCAGC				1300
	TGCCCCCAAC				1350
	CCCCCATTCT				1400
CCAGGGAAGC	CCTGGTAGGC	CCGATGTGAA	ACCACTGACT	TGAACCTCAC	1450
AGATCTGAGA	GAAGCCAGGT	TCATTTAATG	GTTCTGAGGG	GCGGCTTGAG	1500
ATCCACTGAG	GGGAGTGGTT	TTAGGCTCTG	TGAGGAGGCA	AGGTGAGATG	1550
CTGAGGGAGG	ACTGAGGAGG	CACACACCCC	AGGTAGATGG	CCCCAAAATG	1600
ATCCAGTACC	ACCCCTGCTG	CCAGCCCTGG	ACCACCGGC	CAGGACAGAT	1650
GTCTCAGCTG	GACCACCCC	CGTCCCGTCC	CACTGCCACT	TAACCCACAG	1700
GGCAATCTGT	AGTCATAGCT	TATGTGACCG	GGGCAGGGTT	GGTCAGGAGA	1750
GGCAGGGCCC	AGGCATCAAG	GTCCAGCATC	CGCCCGGCAT	TAGGGTCAGG	1800
ACCCTGGGAG	GGAACTGAGG	GTTCCCCACC	CACACCTGTC	TCCTCATCTC	1850
CACCGCCACC	CCACTCACAT	TCCCATACCT	ACCCCCTACC	CCCAACCTCA	1900
TCTTGTCAGA	ATCCCTGCTG	TCAACCCACG	GAAGCCACGG	GAATGGCGGC	1950
CAGGCACTCG	GATCTTGACG	TCCCCATCCA	GGGTCTGATG	GAGGGAAGGG	2000

GCTTGAACAG GGCCTCAGGG GAGCAGAGGG AGGGCCCT	AC TGCGAGATGA 2050
GGGAGGCCTC AGAGGACCCA GCACCCTAGG ACACCGCA	ACC CCTGTCTGAG 2100
ACTGAGGCTG CCACTTCTGG CCTCAAGAAT CAGAACGA	ATG GGGACTCAGA 2150
TTGCATGGGG GTGGGACCCA GGCCTGCAAG GCTTACGC	CGG AGGAAGAGGA 2200
GGGAGGACTC AGGGGACCTT GGAATCCAGA TCAGTGTG	
GAGAGGTCCA GGGCACGGTG GCCACATATG GCCCATAT	
TGAGGTGACA GGACAGAGCT GTGGTCTGAG AAGTGGGG	
AGAGGGAGGA GTTCCAGGAT CCATATGGCC CAAGATGT	
AGGACTGGGG ATATCCCCGG CTCAGAAAGA AGGGACTC	
CTGTCCCCTT TTAGTAGCTC TAGGGGGACC AGATCAGG	
TTCCATTCTC ACTTGTACCA CAGGCAGGAA GTTGGGGG	
ATGGGGTCTT GGGGTAAAGG GGGGATGTCT ACTCATGT	7 7 7
GGTTGAGGAA GCACAGGCGC TGGCAGGAAT AAAGATGA	
AGGCTATTGG AATCCACACC CCAGAACCAA AGGGGTCA	
TCACCCAGGA TGTGGCTTCT TTTTCACTCC TGTTTCCA	
GTGAGGACCT CATTCTCAGA GGGTGACTCA GGTCAACG	
TCTGGTCTAA AGACAGAGCG GTCCCAGGAT CTGCCATG	
GAACATGAGG GAGGACTGAG GGTACCCCAG GACCAGAA	
CTGCACAGAA ATCAGCCCTG CCCCTGCTGT CACCCCAG	
GGGCCGTCTG CCGAGGTCCT TCCGTTATCC TGGGATCA	
ACGGGGAGGC CTTGGTCTGA GAAGGCTGCG CTCAGGTC	
GTCCCAGGCC CTGCCAGGAG TCAAGGTGAG GACCAAGC	
CAGGACACAT TAATTCCAAT GAATTTTGAT ATCTCTTG	GCT GCCCTTCCCC 3150
AAGGACCTAG GCACGTGTGG CCAGATGTTT GTCCCCTC	
TCCTTATCAT GGATGTGAAC TCTTGATTTG GATTTCTC	AG ACCAGCAAAA 3250
GGGCAGGATC CAGGCCCTGC CAGGAAAAAT ATAAGGGC	
CAGAGGGGT CATCCACTGC ATGAGAGTGG GGATGTCA	
CACCCTCCTG GTAGCACTGA GAAGCCAGGG CTGTGCTT	
CTGAGGGCCC GTGGATTCCT CTTCCTGGAG CTCCAGGA	
GGCCTTGGTC TGAGACAGTA TCCTCAGGTC ACAGAGCA	
GGTGTGCCAG CAGTGAATGT TTGCCCTGAA TGCACACC	
TGCCACAGGA CACATAGGAC TCCACAGAGT CTGGCCTC	
TCAGTCCTGT AGAATCGACC TCTGCTGGCC GGCTGTAC	
CTCACTTCCT CCTTCAGGTT TTCAGGGGAC AGGCCAAC	
ATTCCCTGGA GGCCACAGAG GAGCACCAAG GAGAAGAT	CCC AGAGGACAGG 3700
COUNTRY CALCALOR CONTROL OF CONTR	CT GTAAGTAGGC 3750
CTTTGTTAGA GTCTCCAAGG TTCAGTTCTC AGCTGAGG	CC TCTCACACAC 3800
TCCCTCTCC CCCAGGCCTG TGGGTCTTCA TTGCCCAG	
CTCCTGCCTG CTGCCCTGAC GAGAGTCATC	3880
ATG TCT CTT GAG CAG AGG AGT CTG CAC TGC A	AG CCT GAG GAA 3922
GCC CTT GAG GCC CAA CAA GAG GCC CTG GGC C	TG GTG TGT GTG 3964
CAG GCT GCC ACC TCC TCC TCT CCT CTG G	STC CTG GGC ACC 4006
CTG GAG GAG GTG CCC ACT GCT GGG TCA ACA G	SAT CCT CCC CAG 4048
AGT CCT CAG GGA GCC TCC GCC TTT CCC ACT A	ACC ATC AAC TTC 4090
ACT CGA CAG AGG CAA CCC AGT GAG GGT TCC A	GC AGC CGT GAA 4132
GAG GAG GGG CCA AGC ACC TCT TGT ATC CTG G	SAG TCC TTG TTC 4174
CGA GCA GTA ATC ACT AAG AAG GTG GCT GAT T	TG GTT GGT TTT 4216
CTG CTC CTC AAA TAT CGA GCC AGG GAG CCA G	TC ACA AAG GCA 4258
GAA ATG CTG GAG AGT GTC ATC AAA AAT TAC A	AG CAC TGT TTT 4300
CCT GAG ATC TTC GGC AAA GCC TCT GAG TCC T	TG CAG CTG GTC 4342
TTT GGC ATT GAC GTG AAG GAA GCA GAC CCC A	ACC GGC CAC TCC 4384
TAT GTC CTT GTC ACC TGC CTA GGT CTC TCC T	AT GAT GGC CTG 4426
CTG GGT GAT AAT CAG ATC ATG CCC AAG ACA G	GC TTC CTG ATA 4468
ATT GTC CTG GTC ATG ATT GCA ATG GAG GGC G	
GAG GAG GAA ATC TGG GAG GAG CTG AGT GTG A	TG GAG GTG TAT 4552
and the state an	10 ONG GIG INI 4004

GAT GGG AGG GAG CAC A	GT GCC TAT	GGG GAG CCC	AGG AAG CTG	4594
CTC ACC CAA GAT TTG G'	rg cag gaa a	AAG TAC CTG	GAG TAC GGC	4636
AGG TGC CGG ACA GTG A	TC CCG CAC	GCT ATG AGT	TCC TGT GGG	4678
GTC CAA GGG CCC TCG C	rg aaa cca (GCT ATG TGA		4711
AAGTCCTTGA GTATGTGATC	AAGGTCAGTG	CAAGAGTTC		4750
GCTTTTTCTT CCCATCCCTG		CTTTGAGAGA	GGAGGAAGAG	4800
GGAGTCTGAG CATGAGTTGC	AGCCAAGGCC	AGTGGGAGGG	GGACTGGGCC	4850
AGTGCACCTT CCAGGGCCGC	GTCCAGCAGC	TTCCCCTGCC	TCGTGTGACA	4900
TGAGGCCCAT TCTTCACTCT	GAAGAGAGCG	GTCAGTGTTC	TCAGTAGTAG	4950
GTTTCTGTTC TATTGGGTGA	CTTGGAGATT	TATCTTTGTT	CTCTTTTGGA	5000
ATTGTTCAAA TGTTTTTTTT	TAAGGGATGG	TTGAATGAAC	TTCAGCATCC	5050
AAGTTTATGA ATGACAGCAG	TCACACAGTT	CTGTGTATAT	AGTTTAAGGG	5100
TAAGAGTCTT GTGTTTTATT	CAGATTGGGA		ATTTTGTGAA	5150
TTGGGATAAT AACAGCAGTG	GAATAAGTAC	TTAGAAATGT	GAAAAATGAG	5200
CAGTAAAATA GATGAGATAA		AAATTAAGAG	ATAGTCAATT	5250
CTTGCCTTAT ACCTCAGTCT	ATTCTGTAAA	ATTTTTAAAG	ATATATGCAT	5300
ACCTGGATTT CCTTGGCTTC	TTTGAGAATG	TAAGAGAAAT	TAAATCTGAA	5350
TAAAGAATTC TTCCTGTTCA		TCTTCTCCAT	GCACTGAGCA	5400
TCTGCTTTTT GGAAGGCCCT	GGGTTAGTAG	TGGAGATGCT	AAGGTAAGCC	5450
AGACTCATAC CCACCCATAG	GGTCGTAGAG	TCTAGGAGCT	GCAGTCACGT	5500
AATCGAGGTG GCAAGATGTC	CTCTAAAGAT	GTAGGGAAAA	GTGAGAGAGG	5550
GGTGAGGGTG TGGGGCTCCG	GGTGAGAGTG		AATGCCCTGA	5600
GCTGGGGCAT TTTGGGCTTT		AGTTCCTTCT	GGGGGAGCTG	5650
ATTGTAATGA TCTTGGGTGG	ATCC			5688

- (2) INFORMATION FOR SEQUENCE ID NO: 9:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 4157 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: singular
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (ix) FEATURE:
 - (A) NAME/KEY: MAGE-2 gene
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

CCCATCCAGA	TCCCCATCCG	GGCAGAATCC	GGTTCCACCC	TTGCCGTGAA	50
CCCAGGGAAG	TCACGGGCCC	GGATGTGACG	CCACTGACTT	GCACATTGGA	100
GGTCAGAGGA	CAGCGAGATT	CTCGCCCTGA	GCAACGCCT	GACGTCGGCG	150
GAGGGAAGCA	GGCGCAGGCT	CCGTGAGGAG	GCAAGGTAAG	ACGCCGAGGG	200
AGGACTGAGG	CGGGCCTCAC	CCCAGACAGA	GGGCCCCAA	TTAATCCAGC	250
	CTGCCGGGCC				300
	CACCACCTCA				350
GGAACTCTGG	CGTAAGAGCT	TTGTGTGACC	AGGGCAGGGC	TGGTTAGAAG	400
	CCAGACTCAG				450
	AACCCACCCC				500
	CCCCCATCCC				550
	TCCCCCACCA				600
	ACGGAAGCTC				650
	GTACGGCTAA				700
	ATGCAGAGGA				750
	ACCCAGCATG				800
	CCACCTTTTC				850
	GGGGTTGGGG				900
	ACTGAGGGGA				950
	CCTGGGCACA				1000
	ACAGAGAGTT				1050
	GGGAGGAATC				1100
	ACTCCCCATA				1150
	TAAATTGTTC				1200
	CAATCTCATT				1250
	AGGTGTTGGT				1300
	TGAGAAAGGG				1350
	CCATCATAAC				1400
	CGTGGGGTAA				1450
	GGAGTTGATG				1500
	CTCTGGTCGA				1550
	AGAGCCTGAG				1600
	GGCCCCATAG				1650
	CAGGGCTGTC				1700
	GAAGGGGAGG				1750
	GGTCTCAGGC				1800
	CCAGGACACC				1850
	GAGGACCTGG				1900
	TACCATATCA				1950
CAAGCCAGCA	AAAGGGTGGG	ATTAGGCCCT	ACAAGGAGAA	AGGTGAGGGC	2000

CCTGAGTGAG CACAGAGGGG ACCCTCCACC CAAGTAGAGT	GGGGACCTCA	2050
CGGAGTCTGG CCAACCCTGC TGAGACTTCT GGGAATCCGT	GGCTGTGCTT	2100
GCAGTCTGCA CACTGAAGGC CCGTGCATTC CTCTCCCAGG		2150
TCCAGGAACC AGGCAGTGAG GCCTTGGTCT GAGTCAGTGC		
		2200
AGAGCAGAG GGACGCAGAC AGTGCCAACA CTGAAGGTTT		2250
CACACCAAGG GCCCCACCCG CCCAGAACAA ATGGGACTCC	AGAGGCCTG	2300
GCCTCACCCT CCCTATTCTC AGTCCTGCAG CCTGAGCATG	TGCTGGCCGG	2350
CTGTACCCTG AGGTGCCCTC CCACTTCCTC CTTCAGGTTC	TGAGGGGGAC	2400
AGGCTGACAA GTAGGACCCG AGGCACTGGA GGAGCATTGA		2450
CTGTAAGTAA GCCTTTGTCA GAGCCTCCAA GGTTCAGTTC		2500
TAAGGCCTCA CACACGCTCC TTCTCTCCCC AGGCCTGTGG	GTCTTCATTG	2550
CCCAGCTCCT GCCCGCACTC CTGCCTGCTG CCCTGACCAG	AGTCATC	2597
ATG CCT CTT GAG CAG AGG AGT CAG CAC TGC AAG	CCT GAA GAA	2639
GGC CTT GAG GCC CGA GGA GAG GCC CTG GGC CTG	GTG GGT GCG	2681
CAG GCT CCT GCT ACT GAG GAG CAG ACC GCT	mom moc mom	
		2723
TCT ACT CTA GTG GAA GTT ACC CTG GGG GAG GTG		2765
GAC TCA CCG AGT CCT CCC CAC AGT CCT CAG GGA		2807
TTC TCG ACT ACC ATC AAC TAC ACT CTT TGG AGA	CAA TCC GAT	2849
GAG GGC TCC AGC AAC CAA GAA GAG GAG GGG CCA		2891
CCC GAC CTG GAG TCC GAG TTC CAA GCA GCA ATC		2933
ATG GTT GAG TTG GTT CAT TTT CTG CTC CTC AAG		2975
AGG GAG CCG GTC ACA AAG GCA GAA ATG CTG GAG		3017
AGA AAT TGC CAG GAC TTC TTT CCC GTG ATC TTC		3059
TCC GAG TAC TTG CAG CTG GTC TTT GGC ATC GAG	GTG GTG GAA	3101
GTG GTC CCC ATC AGC CAC TTG TAC ATC CTT GTC		3143
GGC CTC TCC TAC GAT GGC CTG CTG GGC GAC AAT		3145
CCC AAG ACA GGC CTC CTG ATA ATC GTC CTG GCC		3227
ATA GAG GGC GAC TGT GCC CCT GAG GAG AAA ATC		3269
CTG AGT ATG TTG GAG GTG TTT GAG GGG AGG GAG		3311
TTC GCA CAT CCC AGG AAG CTG CTC ATG CAA GAT	CTG GTG CAG	3353
GAA AAC TAC CTG GAG TAC CGG CAG GTG CCC GGC		3395
GCA TGC TAC GAG TTC CTG TGG GGT CCA AGG GCC		3437
ACC AGC TAT GTG AAA GTC CTG CAC CAT ACA CTA	AAC AMO COM	
		3479
GGA GAA CCT CAC ATT TCC TAC CCA CCC CTG CAT	GAA CGG GCT	3521
TTG AGA GAG GGA GAA GAG TGA		3542
GTCTCAGCAC ATGTTGCAGC CAGGGCCAGT GGGAGGGGGT	CTGGGCCAGT	3592
GCACCTTCCA GGGCCCCATC CATTAGCTTC CACTGCCTCG	ТСТСАТАТСА	3642
GGCCCATTCC TGCCTCTTTG AAGAGAGCAG TCAGCATTCT	TACCACTCAC	3692
TTTCTGTTCT GTTGGATGAC TTTGAGATTT ATCTTTCTTT		
		3742
TTGTTCAAAT GTTCCTTTTA ACAAATGGTT GGATGAACTT		3792
GTTTATGAAT GACAGTAGTC ACACATAGTG CTGTTTATAT		3842
TAAGAGTCCT GTTTTTTATT CAGATTGGGA AATCCATTCC	ATTTTGTGAG	3892
TTGTCACATA ATAACAGCAG TGGAATATGT ATTTGCCTAT		3942
AATTAGCAGT AAAATACATG ATACAAGGAA CTCAAAAGAT		3992
TGCCTTATAC CTCAGTCTAT TATGTAAAAT TAAAAATATG		
		4042
TGCTTCTTTG AGAATGCAAA AGAAATTAAA TCTGAATAAA		4092
TCACTGGCTC ATTTCTTTAC CATTCACTCA GCATCTGCTC	TGTGGAAGGC	4142
CCTGGTAGTA GTGGG		4157

- (2) INFORMATION FOR SEQUENCE ID NO: 10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 662 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: singular (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (ix) FEATURE:
 - (A) NAME/KEY: MAGE-21 gene
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

GGATCCCCAT	GGATCCAGGA	AGAATCCAGT	TCCACCCCTG	CTGTGAACCC	50
AGGGAAGTCA	CGGGGCCGGA	TGTGACGCCA	CTGACTTGCG	CGTTGGAGGT	100
CAGAGAACAG	CGAGATTCTC	GCCCTGAGCA	ACGGCCTGAC	GTCGGCGGAG	150
GGAAGCAGGC	GCAGGCTCCG	TGAGGAGGCA	AGGTAAGATG	CCGAGGGAGG	200
ACTGAGGCGG	GCCTCACCCC	AGACAGAGGG	CCCCCAATAA	TCCAGCGCTG	250
CCTCTGCTGC	CAGGCCTGGA	CCACCCTGCA	GGGGAAGACT	TCTCAGGCTC	300
AGTCGCCACC	ACCTCACCC	GCCACCCCC	GCCGCTTTAA	CCGCAGGGAA	350
CTCTGGTGTA	AGAGCTTTGT	GTGACCAGGG	CAGGGCTGGT	TAGAAGTGCT	400
CAGGGCCCAG	ACTCAGCCAG	GAATCAAGGT	CAGGACCCCA	AGAGGGGACT	450
GAGGGTAACC	CCCCCGCACC	CCCACCACCA	TTCCCATCCC	CCAACACCAA	500
CCCCACCCC	ATCCCCCAAC	ACCAAACCCA	CCACCATCGC	TCAAACATCA	550
ACGGCACCCC	CAAACCCCGA	TTCCCATCCC	CACCCATCCT	GGCAGAATCG	600
GAGCTTTGCC	CCTGCAATCA	ACCCACGGAA	GCTCCGGGAA	TGGCGGCCAA	650
GCACGCGGAT	CC				662

- (2) INFORMATION FOR SEQUENCE ID NO: 11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1640 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: singular
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA to mRNA
 - (ix) FEATURE:
 - (A) NAME/KEY: cDNA MAGE-3
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

			AAGC											50
GAC	AGGC	rga (CCTG	SAGG	AC C	AGAG	GCCC	CGG	GAGG	AGCA	CTG	AAGG	AGA	100
AGA:	rctg(CCA (GTGG	STCT	CC AT	rtgc	CCAG	C TC	CTGC	CCAC	ACT	CCCG	CCT	150
GTT	GCCCI	rga (CCAG	AGTC	AT C									171
ATG	CCT	CTT	GAG	CAG	AGG	AGT	CAG	CAC	TGC	AAG	CCT	GAA	GAA	213
GGC	CTT	GAG	GCC	CGA	GGA	GAG	GCC	CTG	GGC	CTG	GTG	GGT	GCG	255
CAG	GCT	CCT	GCT	ACT	GAG	GAG	CAG	GAG	GCT	GCC	TCC	TCC	TCT	297
TCT	ACT	CTA	GTT	GAA	GTC	ACC	CTG	GGG	GAG	GTG	CCT	GCT	GCC	
GAG	TCA	CCA	GAT	CCT	CCC	CAG	AGT	CCT	CAG	GGA	GCC	TCC	AGC	381
CTC	CCC	ACT	ACC	ATG	AAC	TAC	CCT	CTC	TGG	AGC	CAA	TCC	TAT	423
GAG	GAC	TCC	AGC	AAC	CAA	GAA	GAG	GAG	GGG	CCA	AGC	ACC	TTC	465
CCT	GAC	CTG	GAG	TCC	GAG	TTC	CAA	GCA	GCA	CTC	AGT	AGG	AAG	507
GTG	GCC	GAG	TTG	GTT	CAT	TTT	CTG	CTC	CTC	AAG	TAT	CGA	GCC	549
AGG	GAG	CCG	GTC	ACA	AAG	GCA	GAA	ATG	CTG	GGG	AGT	GTC	GTC	591
GGA	AAT	TGG	CAG	TAT	TTC	TTT	CCT	GTG	ATC	TTC	AGC	AAA	GCT	633
			TTG											
			ATC											
GGC	CTC	TCC	TAC	GAT	GGC	CTG	CTG	GGT	GAC	AAT	CAG	ATC	ATG	759
CCC	AAG	GCA	GGC	CTC	CTG	ATA	ATC	GTC	CTG	GCC	ATA	ATC	GCA	801
AGA	GAG	GGC	GAC	TGT	GCC	CCT	GAG	GAG	AAA	ATC	TGG	GAG	GAG	843
CTG	AGT	GTG	TTA	GAG	GTG	TTT	GAG	GGG	AGG	GAA	GAC	AGT	ATG	885
TTG	GGG	GAT	CCC	AAG	AAG	CTG	CTC	ACC	CAA	CAT	TTC	GTG	CAG	927
GAA	AAC	TAC	CTG	GAG	TAC	CGG	CAG	GTC	CCC	GGC	AGT	GAT	CCT	969
GCA	TGT	TAT	GAA	TTC	CTG	TGG	GGT	CCA	AGG	GCC	CTC	GTT	GAA	1011
ACC	AGC	TAT	GTG	AAA	GTC	CTG	CAC	CAT	ATG	GTA	AAG	ATC	AGT	1053
GGA	GGA	CCT	CAC	ATT	TCC	TAC	CCA	CCC	CTG	CAT	GAG	TGG	GTT	1095
TTG	AGA	GAG	GGG	GAA	GAG	TGA								1116
GTC:	rgag (CAC	GAGT	rgca(GC CI	AGGG	CCAG	r ggd	GAGG	GGT	CTG	GCCI	AGT	1166
			GGGC											
			rcac:											1266
			GTTG											1316
			GTTC											1366
			GACA											1416
			GttT											
			ATAAT											
			FAAC											1566
ATT	CTTG	CCT :	IGTA	CCTC	AA TO	CTAT	rctgi	TAA 1	ATTA	AAAC	AAA	CATGO	CAA	1616
ACC	AGGAT	CTT (CCTT	SACT!	rc Ti	rtg								1640

- INFORMATION FOR SEQUENCE ID NO: 12: (2)
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 943 base pairs

 - (B) TYPE: nucleic acid (C) STRANDEDNESS: singular
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: genomic DNA
 - (ix) FEATURE:
 - (A) NAME/KEY: MAGE-31 gene
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

GGATCCTC	CA (CCCC	AGTAC	SA G	rggg	GACCI	CAC	CAGAC	TCT	GGC	CAAC	CCT	50
CCTGACAG	TT (CTGGC	SAATO	CC G	rggci	rgcg1	TTC T	CTG	CTG	CAC	ATTG	GGG	100
GCCCGTGG													150
AGGACTTG	GT (CTGAC	GCAC	GT G	CCT	CAGGI	CAC	CAGAC	TAG	AGG	GGGC1	PCA	200
GATAGTGC													250
CTGCCCCA													300
TTCAGTCC'													350
CTCTCACT													400
AGAGGCCC													450
TTAGAGCC'													500
TCCCTCTC	TC (CCCAG	GCCI	AG TO	GGGT	CTCCF	Y TTC	SCCC	AGCT	CCT	GCCC!	ACA	550
CTCCCGCC													580
ATG CCT													622
GGC CTT (664
CAG GCT													706
TCT AGT													748
GAG TCA													790
CTC CCC													832
GAG GAC													874
CCT GAC	CTG	GAG	TCT	GAG	TTC	CAA	GCA	GCA	CTC	AGT	AGG	AAG	916
GTG GCC	AAG	TTG	GTT	CAT	TTT	CTG	CTC						943

- (2) INFORMATION FOR SEQUENCE ID NO: 13:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1067 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: singular (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA to mRNA
 - (ix) FEATURE:
 - (A) NAME/KEY: cDNA MAGE-4
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

	GGG	CCA	AGC	ACC	TCG	CCT	GAC	GCA	GAG	TCC	TTG	TTC	CGA	39
GAA	GCA	CTC	AGT	AAC	AAG	GTG	GAT	GAG	TTG	GCT	CAT	TTT	CTG	81
CTC	CGC	AAG	TAT	CGA	GCC	AAG	GAG	CTG	GTC	ACA	AAG	GCA	GAA	123
ATG	CTG	GAG	AGA	GTC	ATC	AAA	AAT	TAC	AAG	CGC	TGC	TTT	CCT	165
GTG	ATC	TTC	GGC	AAA	GCC	TCC	GAG	TCC	CTG	AAG	ATG	ATC	TTT	207
GGC	ATT		GTG											249
ACC			ACC											291
GGT			CAG											333
GTC			ACA									TCT	GAG	375
GAG			TGG									TAT		417
			CAC											459
			TGG											501
			AGT											543
			CTG											585
			AGG											627
			GAA											669
			rtgc <i>i</i>											719
			AGCC											769
	CATTO		CACTO											819
			rgttc											869
			rgttc											919
			rcgt <i>i</i>										_	969
	AGTCI		PTTTI											1019
TTGC	GAC	ATA A	ATAAC	CAGC	AG TO	GAG	raagi	r Ari	TAG!	AGT	GTG	TTA	3	1067

(2)	INFORMATION FOR SEQUENCE ID NO: 14:
•	(i) SEQUENCE CHARACTERISTICS:
	(A) LENGTH: 226 base pairs
	(B) TYPE: nucleic acid
	(C) STRANDEDNESS: singular
	(D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: genomic DNA
	(ix) FEATURE:
	(A) NAME/KEY: MAGE-5 gene
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

AGGATCCCCA GGAGGCCCTA GAGGAGCACC AAAGGAGAAG	ATCTGTAAGT	50
AAGCCTTTGT TAGAGCCTCC AAGGTTCAGT TTTTAGCTGA	GGCTTCTCAC 1	00
ATGCTCCCTC TCTCTCCAGG CCAGTGGGTC TCCATTGCCC	AGCTCCTGCC 1	50
CACACTCCTG CCTGTTGCGG TGACCAGAGT CGTC	1:	84
ATG TCT CTT GAG CAG AAG AGT CAG CAC TGC AAG	CCT GAG GAA 2:	26

•

(2)	INFORMATION FOR SEQUENCE ID NO: 15:
•	(i) SEQUENCE CHARACTERISTICS:
	(A) LENGTH: 225 base pairs
	(B) TYPE: nucleic acid
	(C) STRANDEDNESS: singular
	(D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: cDNA
	(ix) FEATURE:
	(A) NAME/KEY: MAGE-6 gene
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

TAT	TTC	TTT	CCT	GTG	ATC	TTC	AGC	AAA	GCT	TCC	GAT	TCC	TTG	42
CAG	CTG	GTC	$\mathbf{T}\mathbf{T}\mathbf{T}$	GGC	ATC	GAG	CTG	ATG	GAA	GTG	GAC	CCC	ATC	84
GGC														126
GAT	GGC	CTG	CTG	GGT	GAC	AAT	CAG	ATC	ATG	CCC	AGG	ACA	GGC	168
TTC	CTG	ATA	ATC	ATC	CTG	GCC	ATA	ATC	GCA	AGA	GAG	GGC	GAC	210
TGT	GCC	CCT	GAG	GAG										225

(2)	INFORMATION FOR SEQUENCE ID NO: 1	6:									
	(i) SEQUENCE CHARACTERISTICS:										
	(A) LENGTH: 166 base pairs										
	(B) TYPE: nucleic acid										
	(C) STRANDEDNESS: singular										
	(D) TOPOLOGY: linear										
	(ii) MOLECULE TYPE: genomic DNA										
	(ix) FEATURE:										
	(A) NAME/KEY: MAGE-7 gene										
	(xi) SEQUENCE DESCRIPTION: SEQ I	D NO:	16:								

.

ACA	AGC	ACT	AGT	TTC	CTT	GTG	ATC	TAT	GGC	AAA	GCC	TCA	GAG	42
TGC	ATG	CAG	GTG	ATG	TTT	GGC	ATT	GAC	ATG	AAG	GAA	GTG	GAC	84
CCC	GCG	GCC	ACT	CCT	ACG	TCT	TGT	ACC	TGC	TTG	GGC	CTC	TCC	126
TAC	AAT	GGC	CTG	CTG	GGT	GAT	GAT	CAG	AGC	ATG	CCC	GAG	Α	166